
CS 150

Digital Design

Lecture 27 – Graphics Processors

2013-4-30

Professor John Wawrzynek
today's lecture by John Lazzaro

TAs: Shaoyi Cheng, Vincent Lee

www-inst.eecs.berkeley.edu/~cs150/

Play



Today: Graphics Processors

- * **Computer Graphics.** A brief introduction to “the pipeline”.
- * **Stream Processing.** Casting the graphics pipeline into hardware.
- * **Unified Pipelines.** GeForce 8800, from Nvidia, introduced in 2006.
- * **Kepler.** The latest generation from Nvidia, released a year ago.



PC Graphics, 2013 Edition



PC Graphics Architecture



Core i5
CPU/IGP



PCIe bus supports discrete GPU, with dedicated RAM and monitor outputs.

IGP uses system DRAM as graphics memory.

Display Out



2560

1600

About 12 MB/frame (24-bit pixels)
24 frames/sec: 300 MB/second


The “unaccelerated” graphics board ...

PCIe Bus Port



300 MB/s easy to sustain.

Problem: CPU has to compute a new pixel every 10 ns. 10 clock cycles for a 1 GHz CPU clock.



Double Buffering:

CPU writes A frame in one buffer.

Control logic sends B frame out of other buffer to display.

Display Out



Q. What kind of graphics are we accelerating?

A. In 2013, interactive entertainment (3-D games). In the 1990s, 2-D acceleration (fast windowing systems, games like Pac-Man).

Graphics Acceleration


Q. In a multi-core world, why should we use a special processor for graphics?

A. Programmers generally use a certain coding style for graphics. We can design a processor to fit the style.

Next: An intro to 3-D graphics.




The Triangle ...




Simplest closed
shape that may be
defined by
straight edges.


With enough triangles, you can make anything.



A **cube** whose faces are made up of triangles. This is a **3-D model** of a cube -- model includes **faces we can't see** in this view.

A **sphere** whose faces are made up of triangles. With **enough triangles**, the **curvature** of the sphere can be made **arbitrarily smooth**.







A **teapot** (famous object in computer graphics history). A **"wire-frame"** of triangles can capture the 3-D shape of complex, man-made objects.

Triangle defined by 3 vertices

By **transforming** ($v' = f(v)$) all vertices in a 3-D object (like the teapot), you can move it in the 3-D world, change it's size, rotate it, etc.




If a teapot has 10,000 triangles, need to transform **30,000** vertices to move it in a 3-D scene ... **per frame!**





Vertex can have color, lighting info ...

If vertices colors are different, this means that a **smooth gradient** of color washes across triangle.



More realistic graphics models include **light sources** in the scene. Per-vertex information can carry information about **how light hits the vertex**.


We see a 2-D window into the 3-D world




From 3-d triangles to screen pixels

First, **project** each 3-D triangle that might “face” the “eye” onto the **image plane**.

Then, create “pixel fragments” on the **boundary** of the image plane triangle



Then, create “pixel fragments” to **fill in** the triangle (rasterization).



Why “pixel fragments”? A screen pixel color might depend on many triangles (**example**: a glass teapot).

Process pixel fragment to “shade” it.

Algorithmic approach: Per-pixel computational model of metal and how light reflects off of it. Move teapot and what reflects off it changes.



Process each fragment to “shade” it.

Artistic approach: Artist paints surface of teapot in Photoshop. We “map” this “texture” onto each pixel fragment during shading.

Final step:
Output
Merge.
Assemble
pixel
fragments
to make
final 2-d
image
pixels.




Real-world texture maps: Bike decals




Applying texture maps: Quality matters

“Good”
algorithm.
B and C
look
blurry.



“Better”
algorithm.
B and C
are
detailed.



Putting it All Together ...

Luxo, Jr: Short movie made by Pixar, shown at SIGGRAPH in 1986.

First Academy Award given to a computer graphics movie.




© P I X A R

Graphics Acceleration

Next: Back to architecture ...



The graphics pipeline in hardware (2004)



Vertex Shader: A “stream processor”

Vertex “stream” from CPU

Only one vertex at a time placed in input registers.


From CPU: changes slowly (per frame, per object)



Constant Registers (Read Only)



Working Registers (Read/Write)




Input Registers (Read Only)



Shader CPU



Output Registers (Write Only)




Shader Program Memory

Short (ex: 128 instr) program code.
Same code runs on every vertex.

Shader creates one vertex out for each vertex in.

Vertex “stream” ready for 3-D to 2-D conversion

Optimized instructions and data formats







Easy to parallelize: Vertices independent

From CPU



Caveat:
Care
might be
needed
when
merging
streams.



Why?
3-D to
2-D may
expect
triangle
vertices
in order.



Shader CPUs
easy to multithread. Also, SIMD-like control.

Pixel shader specializations ...

Texture maps (look-up tables) play a key role.



Pixel shader needs fast access to the map of Europe on teapot (via graphics card RAM).

PowerPC G4
microprocessor
(L2 cache: 512K 1:1)

167 MHz
MaxBus

AGP 4X
bus

**Process each
vertex**

**Create pixels
fragments**

**Process pixel
fragments**

Output Merge

DVI/VGA/composite/S-video
output port

"Pixel Shader"
CPU →



Pixel Shader: Stream processor + Memory

Pixel fragment stream from rasterizer

Indices into texture maps.

Only one fragment at a time placed in input registers.

Engine does interpolation.

From CPU: changes slowly (per frame, per object)

Texture Registers

Input Registers (Read Only)

Shader CPU

Constant Registers (Read Only)

Shader creates one fragment out for each fragment in.

Texture Engine


Registers (Read/Write)

Register R0 is pixel fragment, ready for output merge

Memory System

Example (2006): Nvidia GeForce 7900

278 Million Transistors, 650 MHz clock, 90 nm process



Break Time ...

Play

Next: Unified architectures



Basic idea: Replace **specialized logic** (vertex shader, pixel shader, hardwired algorithms) with many copies of **one unified CPU design**.

Unified Architectures

Consequence: You no longer “see” the graphics pipeline when you look at the architecture block diagram.

Designed for: DirectX 10 (Microsoft Vista), and new non-graphics markets for GPUs.



DirectX 10 (Vista): Towards Shader Unity

Earlier APIs: Pixel and Vertex CPUs very different ...

Feature	1.1 2001	2.0 2002	3.0 2004 [†]	4.0 2006
instruction slots	128	256	≥512	≥64K
	4+8 [‡]	32+64 [‡]	≥512	
constant registers	≥96	≥256	≥256	16x4096
	8	32	224	
tmp registers	12	12	32	4096
	2	12	32	
input registers	16	16	16	16
	4+2 [§]	8+2 [§]	10	
render targets	1	4	4	8
samplers	8	16	16	16
textures			4	128
	8	16	16	
2D tex size			2Kx2K	8Kx8K
integer ops				✓
load op				✓
sample offsets				✓
transcendental ops	✓	✓	✓	✓
		✓	✓	
derivative op			✓	✓
flow control		static	stat/dyn	dynamic
			stat/dyn	


DirectX 10:
Many specs are identical for Pixel and Vertex CPUs

Table 1: Shader model feature comparison summary.

DirectX 10 : New Pipeline Features ...


Geometry Shader:
Lets a shader program create new triangles.

Also: Shader CPUs are more like RISC machines in many ways.




Stream Output:
Lets vertex stream recirculate through shaders many times ... (and also, back to CPU)

Why? Particle systems ...



Why? Fractal images ...




Why? Position-Based Fluids



NVidia 8800: Unified GPU, announced Fall 2006

Thread processor sets shader type of each CPU


128
Shader
CPUs



Graphics-centric functionality ...

3-D to 2-D (vertex to pixel)

Texture engine and memory system




Can be reconfigured with graphics logic hidden ...

128 **scalar** 1.35 GHz processors: Integer ALU, dual-issue single-precision IEEE floats.

1000s
of active
threads

3 TeraFlops Peak Performance
Ships with a C compiler.




Texture system set up to look like a conventional memory system (768MB GDDR3, 86 GB/s)



Optic Flow (Computer Vision)

Notate a movie with **arrows** to show speed and direction.

dx/dt



dy/dt



Optimal Flow

Flow rate, flow velocity, and flow resistance

Chip Facts

90nm process

681M Transistors

80 die/wafer
(pre-testing)


Design Facts

4 year
design cycle

\$400 Million
design budget

600 person-years: 10 people at start, 300 at peak

A big die. Many chips will not work
(low yield). Low profits.



GeForce 8800 GTX Card: \$599 List Price

PCI-Express 16X Card - 2 Aux Power Plugs!



185 Watts Thermal Design Point (TDP) --
TDP is a "real-world" maximum power spec.

Some products are “loss-leaders”

Breakthrough product creates “free” publicity you can't buy.



(1) Hope: when chip “shrinks” to 65nm fab process, die will be smaller, yields will improve, profits will rise.

(2) Simpler versions of the design will be made to create an entire product family, some very profitable.

“We tape out a chip a month”, NVidia CEO quote.

And it happened! 2008 nVidia products

	GTX 280	GTX 260	9800 GX2	9800 GTX+	9800 GTX
Stream Processors	240	192	256	128	128
Texture Address / Filtering	80 / 80	64 / 64	128 / 128	64 / 64	64 / 64
ROPs	32	28	32	16	16
Core Clock	602MHz	576MHz	600MHz	738MHz	675MHz
Shader Clock	1296MHz	1242MHz	1500MHz	1836MHz	1690MHz
Memory Clock	1107MHz	999MHz	1000MHz	1100MHz	1100MHz
Memory Bus Width	512-bit	448-bit	256-bit x 2	256-bit	256-bit
Frame Buffer	1GB	896MB	1GB	512MB	512MB
Transistor Count	1.4B	1.4B	1.5B	754M	754M
Manufacturing Process	TSMC 65nm	TSMC 65nm	TSMC 65nm	TSMC 55nm	TSMC 65nm
Price Point	\$650	\$400	\$500	\$229	\$199

GTX 280

Price similar to 8800, stream CPU count > 2X.

9800 GTX

Specs similar to 8800, card sells for \$199.

And again in 2012! GTX 680 -- "Kepler"

GTX 680

3X more effective CPUs as GTX 280, lower price point.

6X more CPUs as 8800, (from 2006).

	GTX 680	GTX 580	GTX 560 Ti
Stream Processors	1536	512	384
Texture Units	128	64	64
ROPs	32	48	32
Core Clock	1006MHz	772MHz	822MHz
Shader Clock	N/A	1544MHz	1644MHz
Boost Clock	1058MHz	N/A	N/A
Memory Clock	6.008GHz GDDR5	4.008GHz GDDR5	4.008GHz GDDR5
Memory Bus Width	256-bit	384-bit	256-bit
Frame Buffer	2GB	1.5GB	1GB
FP64	1/24 FP32	1/8 FP32	1/12 FP32
TDP	195W	244W	170W
Transistor Count	3.5B	3B	1.95B
Manufacturing Process	TSMC 28nm	TSMC 40nm	TSMC 40nm
Launch Price	\$499	\$499	\$249

GTX 560 Ti

Specs better than GTX 280, sells for \$249

GTX 680


28nm
process

3.5 billion
transistors

1 GHz
core clock

6GHz
GDDR5

3 years,
1000
engineers



GTX 680

4X as many
shader CPUs,
running at
2/3 the clock
(vs GTX 560).

Polymorph
engine does
polygon
tessellation.
PCIe bus no
longer limits
triangle count.



History and Graphics Processors

- * **Create standard model from common practice:** Wire-frame geometry, triangle rasterization, pixel shading.
- * **Put model in hardware:** Block diagram of chip matches computer graphics math.
- * **Evolve to be programmable:** At some point, it becomes hard to see the math in the block diagram.

“Wheel of reincarnation” -- Hardwired graphics hardware evolves to look like general-purpose CPU. Ivan Sutherland co-wrote a paper on this topic in 1968!

Samaritan: Direct X-11 demo from Unreal.
Runs in **real-time** on one GTX 680 (barely).

GPUs on mobile devices






Tuesday, April 30, 13


iPad: iPhone++

A6X: ARMv7 cores,
PowerVR GPUs


Top



Bottom



Cellular RF



1 GB DRAM
(128-bit interface)


Apple A6X

2012 iPad
CPU/IGP.


32 nm process,
10.4 x 11.9 mm

IGP fills
about 40%
of die.

IGP: 2.5%
of Kepler
(in GFLOPs).



Mobile GPUs: Same ideas, scaled down.



Today: Graphics Processors

- * **Computer Graphics.** A brief introduction to “the pipeline”.
- * **Stream Processing.** Casting the graphics pipeline into hardware.
- * **Unified Pipelines.** GeForce 8800, from Nvidia, introduced in 2006.
- * **Kepler.** The latest generation from Nvidia, released last month.