



UC Berkeley  
EECS  
Head TA  
Michael Ball

# The Beauty and Joy of Computing

## Besides Blocks Python

### Session 2: Data Structures



UC Berkeley  
EECS  
TA  
Peter Sujan





# Data Structures (Overview)

---

- Review (and some new introductions)
- Sequences
  - Operators
- Sets
  - Operators
- Dictionaries
- Higher-Order Functions
- Let's Re-visit the midterm Exam!





# Review

---

- Typing, Build-In Types
  - Int, function, string, list, etc
- Variables
- Looping and Conditionals
  - for loops,
  - While loops
- Functions
  - Recursion
- This week's content
  - Sequences, APIs





# Sequences

---

- Contain and ORDERED set of data
- `str` – short for a “string of text”
- `list` - `['a', 'group', 'of', 'items']`
- `range(start, stop, step)`
- `tuple` – a list that can't be modified
- Supports very easy iteration:
- `for item in sequence:`  
`print(item)`





# Sequence (General) Operators

---

- `elem in` & `not in` sequence
- `+` & `*`
- slice `[START:END:STEP]`
- `len()`
- `min()` & `max()`
- Even `map()` `filter()` & `reduce()`!
- `count(item)`
- Many, many more:

<http://docs.python.org/library/stdtypes.html#typesseq>





# Strings and String Operators

- Sequence (or “list” or “array”) of chars
- Quoting
  - Single Quotes, Double Quotes
  - Triple Quotes (this keeps formatting and line breaks)
- Concentration, finding length, etc.
  - `help(“string”)`
- Slicing Supported [START:END:STEP]
- <http://docs.python.org/library/stdtypes.html#string-methods>





# Lists

- Collection of any type
  - Including itself!
- Indexing (*Snap!*: `item()` of `[]`)
- Modifying (`replace item ()` of `[]` with `()`)
- Slicing and slicing notation (i.e. `[::]`)
  - Exactly the same as string notation!
- Operators
  - `append(x)`, `insert(i,x)`, `count(x)`, `sort()`, etc.
- <http://docs.python.org/library/stdtypes.html#mutable-sequence-types>





# Dictionaries

---

- Very fast access (by **key**, not number)
- “Map” from a key to a value
- Syntax
  - `{ key1 : value1, key2 : value2, ... }`
- Adding elements
  - `dict[key] = value`
- Accessing elements; `dict[key]`
- Keys
  - Looking for specific keys (`has_key()` & “in”)
  - Iterating over (`iterkeys()`)







# More Information

---

- Sequences & Methods
  - <http://docs.python.org/library/stdtypes.html>
- Coding Bat (**Great** practice!)
  - <http://codingbat.com/python>
- Google's Python Class
  - <http://code.google.com/edu/languages/google-python-class/>
- Exercises (More practice!)
  - <http://code.google.com/edu/languages/google-python-class/exercises/basic.html>

