

Lecture 1: Course Introduction

CS164: Programming Languages and Compilers
P. N. Hilfinger, 787 Soda
Spring 2019

Acknowledgement. Portions taken from CS164 notes by G. Necula.

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 1

Administrivia

- All course information, readings, and documentation is online from the course web page (constantly under construction).
- Get a (free) Github account (from github.com).
- Get a cs164-xxx class account electronically using Webacct with your CalId. Not sure yet whether we'll use it, but it does give me a handle on who is actually taking the course.
- Please do not take this course P/NP.
- Projects *require* partnerships of 3-4. Start looking now.
- DSP students: since projects are done in teams, I cannot accommodate requests for individual extensions on projects for disability-related reasons.
- Please read Chapter 2 of the online Course Notes for the next few lectures.
- Discussion sections start next week. At the moment, you are all in a single section. There will be a sign-up poll for actual rooms/times later this week or weekend.

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 2

Course Structure

- Lectures, discussions intended to discuss and illustrate material that you have *previously read*.
- Regular homework does theory, practical "finger exercises." Done individually.
- Projects are long programming assignments, done in teams.
- All submissions electronic.
- Target language for projects: Subset of Python3.

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 3

Generic General Advice

DBC!
RTFM!

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 4

Plagiarism: Obligatory Warning

- We have software to detect plagiarism, and we Know How to Use It!
- If you must use others' work (in moderation), *cite it!*
- Remember that on projects, you necessarily involve your partner.
- Most cheating cases result from time pressure. Keep up, and *talk to us* as early as possible about problems.

Project

- Hidden agenda: programming design and experience.
- Substantial project in modules.
- Provides example of how complicated problem might be approached.
- Validation (testing) part of project.
- Chance to use version control for real.
- General rule: start early!

Implementing Programming Languages

- Strategy 1: Interpreter: program that runs programs.
- Strategy 2: Compiler: program that translates program into machine code (interpreted by machine).
- Strategy 3: Modern trend is hybrid:
 - Compilers that produce virtual machine code for *bytecode interpreters*.
 - "Just-In-Time" (JIT) compilers interpret parts of program, compile other parts during execution.
 - Variant of 2: Compiler that translates program into another programming language (such as C), or into an *intermediate language* (such as Java class format) for which there is a translator or compiler.

Languages

- Initially, programs "hard-wired" or entered electro-mechanically
 - Analytical Engine, Jacquard Loom, ENIAC, punched-card-handling machines
- Next, stored-program machines: programs encoded as numbers (machine language) and stored as data:
 - Manchester Mark I, EDSAC.
- 1953: IBM develops the 701; all programming done in assembly
- Problem: Software costs > hardware costs!
- John Backus: "Speedcoding" made a 701 appear to have floating point and index registers. Interpreter ran 10-20 times slower than native code.

FORTRAN

- Also due to John Backus (1954–7).
- Revolutionary idea at the time: convert high-level (algebraic formulae) to assembly.
- Called "automatic programming" at the time. Some thought it impossible.
- Wildly successful: language could cut development times from weeks to hours; produced machine code almost as good as hand-written.
- Start of extensive theoretical work (and Fortran is still with us!).

After FORTRAN

- Lisp, late 1950s: dynamic, symbolic data structures.
- Algol 60: Europe's answer to FORTRAN: modern syntax, block structure, explicit declaration.
 - Dijkstra: "A marked improvement on its successors."
 - Algol report Set standard for language description.
- COBOL: late 1950's (and still with us). Business-oriented. Introduces records (structs).

The Language Explosion

- APL (arrays), SNOBOL (strings), FORMAC (formulae), and many more.
- 1967-68: Simula 67, first "object-oriented" language.
- Algol 68: Combines FORTRANish numerical constructs, COBOLish records, pointers, all described in rigorous formalism. Remnants remain in C, but Algol68 itself did not catch on.
- 1968: "Software Crisis" announced. Trend towards simpler languages: Algol W, Pascal, C

The 1970s

- Emphasis on "methodology": modular programming, CLU, Modula family.
- Mid 1970's: Prolog. Declarative logic programming.
- Mid 1970's: ML (Metalanguage) type inference, pattern-driven programming. (Led to Haskell, OCaml).
- Late 1970's: DoD starts to develop Ada to consolidate >500 languages.

Into the Present

- Complexity increases with C++.
- Then decreases with Java.
- Then increases again (C#, Java 1.5 *et seq.*).
- Proliferation of little or specialized languages and scripting languages: HTML, PHP, Perl, Python, Ruby,

Example: FORTRAN

```
C FORTRAN (OLD-STYLE) SORTING ROUTINE
C
      SUBROUTINE SORT (A, N)
      DIMENSION A(N)
      IF (N - 1) 40, 40, 10
10     DO 30 I = 2, N
          L = I-1
          X = A(I)
          DO 20 J = 1, L
              K = I - J
              IF (X - A(K)) 60, 50, 50
C FOUND INSERTION POINT: X >= A(K)
50             A(K+1) = X
              GO TO 30
C ELSE, MOVE ELEMENT UP
60             A(K+1) = A(K)
20             CONTINUE
          A(1) = X
30             CONTINUE
40             RETURN
      END

C -----
C MAIN PROGRAM
      DIMENSION Q(500)
100     FORMAT(I5/(6F10.5))
200     FORMAT(6F12.5)

      READ(5, 100) N, (Q(J), J = 1, N)
      CALL SORT(Q, N)
      WRITE(6, 200) (Q(J), J = 1, N)
      STOP
      END
```

Example: Algol 60

```
comment An Algol 60 sorting program;
procedure Sort (A, N)
  value N;
  integer N; real array A;
begin
  real X;
  integer i, j;
  for i := 2 until N do begin
    X := A[i];
    for j := i-1 step -1 until 1 do
      if X >= A[j] then begin
        A[j+1] := X; goto Found
      end else
        A[j+1] := A[j];
    A[1] := X;
  Found:
  end
end
end Sort
```

Example: APL

```
⊙ An APL sorting program
▽ Z ← SORT A
  Z ← A[⍋A]
▽
```

Example: Python (2.5)

```
import sys, re

def format(x):
    return "%10.5f" % x

vals = map(float, re.split(r'\s+', sys.stdin.read().strip()))
vals.sort()
print '\n'.join([ ''.join(map(format, vals[i:i+6]))
                  for i in xrange(0,len(vals),6)])
```

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 17

Example: Prolog

```
/* A naive Prolog sort */

/* permutation(A,B) iff list B is a
   permutation of list A. */
permutation(L, [H | T]) :-
    append(V, [H|U], L),
    append(V,U,W),
    permutation(W,T).
permutation([], []).

/* ordered(A) iff A is in ascending order. */
ordered([]).
ordered([X]).
ordered([X,Y|R]) :- X <= Y, ordered([Y|R]).

/* sorted(A,B) iff B is a sort of A. */
sorted(A,B) :- permutation(A,B), ordered(B).
```

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 18


Problems to Address

- How to describe language clearly for programmers, precisely for implementors?
- How to implement description, and know you're right?
 - **Answer:** Automatic conversion of description to implementation
- How to test?
- How to save implementation effort?
 - With multiple languages to multiple targets: can we re-use effort?
- How to make languages usable?
 - Handle errors reasonably
 - Detect questionable constructs
 - Compile quickly

Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 19

Classical Compiler Structure (Front)



Last modified: Wed Jan 23 12:23:53 2019

CS164: Lecture #1 20

Classical Compiler Structure (Back)

