

[NOTE: The Lecture #28 slides covered Lectures #28-29].

Administrative: On-line survey available.

Today:

- Pseudo-random Numbers (Chapter 11)
- What use are random sequences?
- What are "random sequences"?
- Pseudo-random sequences.
- How to get one.
- Relevant Java library classes and methods.
- Random permutations.

Coming Up: Concurrency and synchronization (*Data Structures*, Chapter 10, and *Programming Into Java*, Chapter 9).

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 1

- Choose statistical samples
- Simulations
- Random algorithms
- Cryptography:
 - Choosing random keys
 - Generating streams of random bits (e.g., SSL xor's your data with a regeneratable, pseudo-random bit stream that only you and the recipient can generate).
- And, of course, games

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 2

What Is a "Random Sequence"?

- How about: "a sequence where all numbers occur with equal frequency"?
 - Like 1, 2, 3, 4, ...?
- Well then, how about: "an unpredictable sequence where all numbers occur with equal frequency"?
 - Like 0, 0, 0, 1, 1, 2, 2, 2, 2, 2, 3, 4, 4, 0, 1, 1, 1, ...?
- Besides, what is wrong with 0, 0, 0, 0, ... anyway? Can't that occur by random selection?

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 3

Pseudo-Random Sequences

- Even if definable, a "truly" random sequence is difficult for a computer (or human) to produce.
- For most purposes, need only a sequence that satisfies certain statistical properties, even if deterministic.
- Sometimes (e.g., cryptography) need sequence that is *hard* or *impractical* to predict.
- *Pseudo-random sequence*: deterministic sequence that passes some given set of statistical tests.
- For example, look at lengths of *runs*: increasing or decreasing contiguous subsequences.
- Unfortunately, statistical criteria to be used are quite involved. For details, see Knuth.

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 4

Generating Pseudo-Random Sequences

- Not as easy as you might think.
- Seemingly complex jumbling methods can give rise to bad sequences.
- *Linear congruential method* is a simple method that has withstood test of time:

$$X_0 = \text{arbitrary seed}$$

$$X_i = (aX_{i-1} + c) \bmod m, \quad i > 0$$

- Usually, m is large power of 2.
- For best results, want $a \equiv 5 \bmod 8$, and a, c, m with no common factors.
- This gives generator with a *period* of m (length of sequence before repetition), and reasonable *potency* (measures certain dependencies among adjacent X_i .)
- Also want bits of a to "have no obvious pattern" and pass certain other tests (see Knuth).
- Java uses $a = 25214903917$, $c = 11$, $m = 2^{48}$, to compute 48-bit pseudo-random numbers but I haven't checked to see how good this is.

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 5

What Can Go Wrong?

- Short periods, many impossible values: E.g., a, c, m even.
- Obvious patterns. E.g., just using lower 3 bits of X_i in Java's 48-bit generator, to get integers in range 0 to 7. By properties of modular arithmetic,

$$\begin{aligned} X_i \bmod 8 &= (25214903917X_{i-1} + 11 \bmod 2^{48}) \bmod 8 \\ &= (5(X_{i-1} \bmod 8) + 3) \bmod 8 \end{aligned}$$

so we have a period of 8 on this generator; sequences like

$$0, 1, 3, 7, 1, 2, 7, 1, 4, \dots$$

are impossible. This is why Java doesn't give you the raw 48 bits.

- Bad potency leads to bad correlations.
 - E.g. Take $c = 0$, $a = 65539$, $m = 2^{31}$, and make 3D points: $(X_i/S, X_{i+1}/S, X_{i+2}/S)$, where S scales to a unit cube.
 - Points will be arranged in parallel planes with voids between.
 - So, "random points" won't ever get near many points in the cube.

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 6

Other Generators

- Additive generator:

$$X_n = \begin{cases} \text{arbitrary value,} & n < 55 \\ (X_{n-24} + X_{n-55}) \bmod 2^e, & n \geq 55 \end{cases}$$

- Other choices than 24 and 55 possible.
- This one has period of $2^f(2^{55} - 1)$, for some $f < e$.
- Simple implementation with circular buffer:

```
i = (i+1) % 55;
X[i] += X[(i+31) % 55]; // Why +31 (55-24) instead of -24?
return X[i]; /* modulo 232 */
```

- where $X[0 \dots 54]$ is initialized to some "random" initial seed values.

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 7

Adjusting Range and Distribution

- Given raw sequence of numbers, X_i , from above methods in range (e.g.) 0 to 2^{48} , how to get uniform random integers in range 0 to $n - 1$?
- If $n = 2^k$, is easy: use top k bits of next X_i (bottom k bits not as "random")
- For other n , be careful of slight biases at the ends. For example, if we compute $X_i/(2^{48}/n)$ using all integer division, and if $(2^{48}/n)$ doesn't come out even, then you can get n as a result (which you don't want).
- Easy enough to fix with floating point, but can also do with integers; one method (used by Java for type int):

```
/** Random integer in the range 0 .. n-1, n>0. */
int nextInt (int n) {
    long X = next random long (0 ≤ X < 248);
    if (n is 2k for some k) return top k bits of X;
    int MAX = largest multiple of n that is < 248;
    while (X_i ≥ MAX) X = next random long (0 ≤ X < 248);
    return X_i / (MAX/n);
}
```

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 8

Arbitrary Bounds

- How to get arbitrary range of integers (L to U)?
- To get random float, x in range $0 \leq x < d$, compute
`return d*nextInt (1<<24) / (1<<24);`
- Random double a bit more complicated: need two integers to get enough bits.


```
long bigRand = ((long) nextInt(1<<26) << 27) + (long) nextInt(1<<27);
return d * bigRand / (1L << 53);
```

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 9

Other Distributions

- Can also turn uniform random integers into arbitrary other distributions, like the Gaussian.




- Curve is the desired probability distribution ($P(x)$ is the probability that a certain random variable is $\leq x$.)
- Choose y uniformly between 0 and 1, and the corresponding x will be distributed according to P .

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 10

Computing Arbitrary Discrete Distribution

- Example from book: want integer values X_i with $\Pr(X_i = 0) = 1/12$, $\Pr(X_i = 1) = 1/2$, $\Pr(X_i = 2) = 1/3$, $\Pr(X_i = 3) = 1/12$:



- To get desired probabilities, choose floating-point number, $0 \leq R_i < 4$, and see what color you land on.
- ≤ 2 colors in each beaker $\equiv \leq 2$ colors between i and $i + 1$.

```
return (R_i % 1.0 > v[(int) R_i]) ? top[(int) R_i] : bot[R_i];
```

where

```
v = { 1.0/3.0, 2.0/3.0, 0, 1.0/3.0 };
top = { 1, 2, 2, 1 };
bot = { 0, 1, /* ANY */ 0, 3 };
```

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 11

Java Classes

- `Math.random()`: random double in $[0..1)$.
- Class `java.util.Random`: a random number generator with constructors:
`Random()` generator with "random" seed (based on time).
`Random(seed)` generator with given starting value (reproducible).
- Methods
`next(k)` k -bit random integer
`nextInt(n)` int in range $[0..n)$.
`nextLong()` random 64-bit integer.
`nextBoolean()`, `nextFloat()`, `nextDouble()` Next random values of other primitive types.
`nextGaussian()` normal distribution with mean 0 and standard deviation 1 ("bell curve").
- `Collections.shuffle(L, R)` for list R and `Random R` permutes L randomly (using R).

Last modified: Mon Nov 15 16:29:13 2004

CS61B: Lecture #30 12

Shuffling

- A *shuffle* is a random permutation of some sequence.
- Obvious dumb technique for sorting N -element list:
 - Generate N random numbers
 - Attach each to one of the list elements
 - Sort the list using random numbers as keys.

- Can do quite a bit better:

```
void shuffle (List L, Random R)
for (int i = L.size (); i > 0; i -= 1)
    swap element i-1 of L with element R.nextInt (i) of L;
```

- Example:

Swap items	0	1	2	3	4	5	Swap items	0	1	2	3	4	5
Start	A♣	2♣	3♣	A♥	2♥	3♥	3 ↔ 3	A♣	3♥	2♥	A♥	3♣	2♣
5 ↔ 1	A♣	3♥	3♣	A♥	2♥	2♣	2 ↔ 0	2♥	3♥	A♣	A♥	3♣	2♣
4 ↔ 2	A♣	3♥	2♥	A♥	3♣	2♣	1 ↔ 0	3♥	2♥	A♣	A♥	3♣	2♣

Random Selection

- Same technique would allow us to select N items from list:

```
/** Permute L and return sublist of K>=0 randomly
 * chosen elements of L, using R as random source. */
List select (List L, int k, Random R) {
    for (int i = L.size (); i+k > L.size (); i -= 1)
        swap element i-1 of L with element
            R.nextInt (i) of L;
    return L.sublist (L.size ()-k, L.size ());
}
```

- Not terribly efficient for selecting random sequence of K distinct integers from $[0..N)$, with $M \ll N$.

Alternative Selection Algorithm (Floyd)

```
/** Random sequence of M distinct integers
 * from 0..N-1, 0<=M<=N. */
IntList selectInts(int N, int M, Random R)
{
    IntList S = new IntList(); // Like Vector

    for (int i = N-M; i < N; i += 1) {
        int s = R.randInt(i+1);
        if (s == S.get(k) for some k)
            S.add (k+1, i); // Insert value i after the s
        else
            S.add (0, s); // Insert value s at front
    }
    return S;
}
```

Example

i	s	S
5	4	[4]
6	2	[2, 4]
7	5	[5, 2, 4]
8	5	[5, 8, 2, 4]
9	4	[5, 8, 2, 4, 9]

selectRandomIntegers (10, 5, R)