Lecture 2. Intensity Transformation and Spatial Filtering

Spatial Domain vs. Transform Domain

Spatial domain

image plane itself, directly process the intensity values of the image plane

Transform domain

process the transform coefficients, not directly process the intensity values of the image plane

Spatial Domain Process

$$g(x, y) = T[f(x, y)])$$

$$f(x, y) : \text{input image}$$

$$g(x, y) : \text{output image}$$

$$T : \text{an operator on } f \text{ defined over}$$

$$a \text{ neighborhood of point } (x, y)$$

Spatial Domain Process



10/15/22

Spatial Domain Process Intensity transformation function s = T(r)



a b

FIGURE 3.2 Intensity transformation functions. (a) Contraststretching function. (b) Thresholding function.

Some Basic Intensity Transformation Functions



FIGURE 3.3 Some basic intensity transformation functions. All curves were scaled to fit in the range shown.

Image Negatives



Image negatives s = L - 1 - r

Example: Image Negatives



a b

FIGURE 3.4 (a) Original digital mammogram. (b) Negative image obtained using the negative transformation in Eq. (3.2-1). (Courtesy of G.E. Medical Systems.)

Small lesion

Log Transformations



Log Transformations $s = c \log(1+r)$

Example: Log Transformations



Power-Law (Gamma) Transformations



S = Cr'

FIGURE 3.6 Plots of the equation $s = cr^{\gamma}$ for various values of γ (c = 1 in all cases). All curves were scaled to fit in the range shown.



a b c d

FIGURE 3.7

(a) Intensity ramp image. (b) Image as viewed on a simulated monitor with a gamma of 2.5. (c) Gamma-corrected image.
(d) Corrected image.
(d) Corrected image as viewed on the same monitor. Compare (d) and (a).



Cathode ray tube (CRT) devices have an intensity-to-voltage response that is a power function, with exponents varying from approximately 1.8 to 2.5



a b c d

FIGURE 3.8

(a) Magnetic resonance image (MRI) of a fractured human spine. (b)-(d) Results of applying the transformation in Eq. (3.2-3) with c = 1 and $\gamma = 0.6, 0.4, \text{and}$ 0.3, respectively. (Original image courtesy of Dr. David R. Pickens, Department of Radiology and Radiological Sciences, Vanderbilt University Medical Center.)



a b c d

FIGURE 3.9

(a) Aerial image. (b)–(d) Results of applying the transformation in Eq. (3.2-3) with c = 1 and $\gamma = 3.0, 4.0, \text{ and}$ 5.0, respectively. (Original image for this example courtesy of NASA.)

Piecewise-Linear Transformations

Contrast Stretching

— Expands the range of intensity levels in an image so that it spans the full intensity range of the recording medium or display device.

Intensity-level Slicing

— Highlighting a specific range of intensities in an image often is of interest.



a b c d

FIGURE 3.10

Contrast stretching. (a) Form of transformation function. (b) A low-contrast image. (c) Result of contrast stretching. (d) Result of thresholding. (Original image courtesy of Dr. Roger Heady, Research School of **Biological Sciences**, Australian National University, Canberra, Australia.)



mation of the type illustrated in Fig. end of the gray scale. (c) Result of ack, so that grays in the area of the f Dr. Thomas R. Gest. University of

blood vessels and kidneys were preserved. (Original image courtesy of Dr. Thomas R. Gest, University of Michigan Medical School.)

images

3.11(a), with the range of inte

using the transformation in Fig

Bit-plane Slicing



Bit-plane Slicing



a b c d e f g h i

FIGURE 3.14 (a) An 8-bit gray-scale image of size 500×1192 pixels. (b) through (i) Bit planes 1 through 8, with bit plane 1 corresponding to the least significant bit. Each bit plane is a binary image.

Bit-plane Slicing



a b c

FIGURE 3.15 Images reconstructed using (a) bit planes 8 and 7; (b) bit planes 8, 7, and 6; and (c) bit planes 8, 7, 6, and 5. Compare (c) with Fig. 3.14(a).

Histogram Processing

- Histogram Equalization
- Histogram Matching
- Local Histogram Processing
- Using Histogram Statistics for Image Enhancement

Histogram Processing

Histogram
$$h(r_k) = n_k$$

- r_k is the k^{th} intensity value
- n_k is the number of pixels in the image with intensity r_k

Normalized histogram
$$p(r_k) = \frac{n_k}{MN}$$

 n_k : the number of pixels in the image of size M×N with intensity r_k



10/15/22

The intensity levels in an image may be viewed as random variables in the interval [0, L-1]. Let $p_r(r)$ and $p_s(s)$ denote the probability density function (PDF) of random variables r and s.



a b

FIGURE 3.18 (a) An arbitrary PDF. (b) Result of applying the transformation in Eq. (3.3-4) to all intensity levels, *r*. The resulting intensities, *s*, have a uniform PDF, independently of the form of the PDF of the *r*'s.

$$s = T(r) \qquad 0 \le r \le L - 1$$

a. T(r) is a strictly monotonically increasing function in the interval $0 \le r \le L - 1$;



a b

FIGURE 3.17 (a) Monotonically increasing function, showing how multiple values can map to a single value. (b) Strictly monotonically increasing function. This is a one-to-one mapping, both ways.

26

$$s = T(r) \qquad 0 \le r \le L - 1$$

- *a*. T(r) is a strictly monotonically increasing function in the interval $0 \le r \le L - 1$;
- b. $0 \le T(r) \le L 1$ for $0 \le r \le L 1$.

T(r) is continuous and differentiable.

$$p_s(s)ds = p_r(r)dr$$

$$s = T(r) = (L-1)\int_0^r p_r(w)dw$$

$$\frac{ds}{dr} = \frac{dT(r)}{dr} = (L-1)\frac{d}{dr} \left[\int_0^r p_r(w)dw\right]$$
$$= (L-1)p_r(r)$$

$$p_{s}(s) = \frac{p_{r}(r)dr}{ds} = \frac{p_{r}(r)}{\left(\frac{ds}{dr}\right)} = \frac{p_{r}(r)}{\left((L-1)p_{r}(r)\right)} = \frac{1}{L-1}$$

Example

Suppose that the (continuous) intensity values in an image have the PDF

$$p_r(r) = \begin{cases} \frac{2r}{(L-1)^2}, & \text{for } 0 \le r \le L-1\\ 0, & \text{otherwise} \end{cases}$$

Find the transformation function for equalizing the image histogram.

Example

 $s = T(r) = (L-1) \int_{0}^{r} p_{r}(w) dw$

Continuous case:

$$s = T(r) = (L-1) \int_0^r p_r(w) dw$$

Discrete values:

$$s_{k} = T(r_{k}) = (L-1)\sum_{j=0}^{k} p_{r}(r_{j})$$
$$= (L-1)\sum_{j=0}^{k} \frac{n_{j}}{MN} = \frac{L-1}{MN}\sum_{j=0}^{k} n_{j} \qquad k=0,1,...,L-1$$

Example: Histogram Equalization

Suppose that a 3-bit image (L=8) of size 64×64 pixels (MN = 4096) has the intensity distribution shown in following table. Get the histogram equalization transformation function and give the $p_s(s_k)$ for each s_k .

r_k	n_k	$p_r(r_k) = n_k/MN$
$r_0 = 0$	790	0.19
$r_1 = 1$	1023	0.25
$r_2 = 2$	850	0.21
$r_3 = 3$	656	0.16
$r_4 = 4$	329	0.08
$r_5 = 5$	245	0.06
$r_6 = 6$	122	0.03
$r_7 = 7$	81	0.02

Example: Histogram Equalization

r_k	n_k	$p_r(r_k) = n_k/MN$
$r_0 = 0$	790	0.19
$r_1 = 1$	1023	0.25
$r_2 = 2$	850	0.21
$r_3 = 3$	656	0.16
$r_4 = 4$	329	0.08
$r_5 = 5$	245	0.06
$r_6 = 6$	122	0.03
$r_7 = 7$	81	0.02

$$s_{0} = T(r_{0}) = 7 \sum_{j=0}^{0} p_{r}(r_{j}) = 7 \times 0.19 = 1.33 \longrightarrow 1$$

$$s_{1} = T(r_{1}) = 7 \sum_{j=0}^{1} p_{r}(r_{j}) = 7 \times (0.19 + 0.25) = 3.08 \longrightarrow 3$$

$$s_{2} = 4.55 \longrightarrow 5 \qquad s_{3} = 5.67 \longrightarrow 6$$

$$s_{4} = 6.23 \longrightarrow 6 \qquad s_{5} = 6.65 \longrightarrow 7$$

$$s_{6} = 6.86 \longrightarrow 7 \qquad s_{7} = 7.00 \longrightarrow 7$$

Example: Histogram Equalization



a b c

FIGURE 3.19 Illustration of histogram equalization of a 3-bit (8 intensity levels) image. (a) Original histogram. (b) Transformation function. (c) Equalized histogram.



FIGURE 3.20 Left column: images from Fig. 3.16. Center column: corresponding histogramequalized images. Right column: histograms of the images in the center column.

10/15/22



FIGURE 3.21 Transformation functions for histogram equalization. Transformations (1) through (4) were obtained from the histograms of the images (from top to bottom) in the left column of Fig. 3.20 using Eq. (3.3-8).
(a) Image from Phoenix Lander. (b) Result of histogramequalization. (c) Histogram of image (a). (d) Histogram of image(b). (Original image courtesy of NASA.)



Question

Is histogram equalization always good?



Histogram Matching

Histogram matching (histogram specification) — generate a processed image that has a specified histogram Let $p_r(r)$ and $p_z(z)$ denote the continous probability density functions of the variables r and z. $p_z(z)$ is the specified probability density function.

Let *s* be the random variable with the probability

$$s = T(r) = (L-1) \int_0^r p_r(w) dw$$

Define a random variable z with the probability

$$G(z) = (L-1) \int_0^z p_z(t) dt = s$$

Histogram Matching

 $s = T(r) = (L-1) \int_{0}^{r} p_{r}(w) dw$ $G(z) = (L-1) \int_{0}^{z} p_{z}(t) dt = s$

 $z = G^{-1}(s) = G^{-1}[T(r)]$

Histogram Matching: Procedure

Obtain p_r(r) from the input image and then obtain the values of s

$$s = (L-1)\int_0^r p_r(w)dw$$

Use the specified PDF and obtain the transformation function G(z)

$$G(z) = (L-1) \int_0^z p_z(t) dt = s$$

Mapping from s to z

$$z = G^{-1}(s)$$

Histogram Matching: Example

Assuming continuous intensity values, suppose that an image has the intensity PDF

$$p_r(r) = \begin{cases} \frac{2r}{(L-1)^2}, & \text{for } 0 \le r \le L-1\\ 0, & \text{otherwise} \end{cases}$$

Find the transformation function that will produce an image whose intensity PDF is

$$p_{z}(z) = \begin{cases} \frac{3z^{2}}{(L-1)^{3}}, & \text{for } 0 \le z \le (L-1) \\ 0, & \text{otherwise} \end{cases}$$

Histogram Matching: Example

Find the histogram equalization transformation for the input image

$$s = T(r) = (L-1)\int_0^r p_r(w)dw = (L-1)\int_0^r \frac{2w}{(L-1)^2}dw = \frac{r^2}{L-1}$$

Find the histogram equalization transformation for the specified histogram

$$G(z) = (L-1)\int_0^z p_z(t)dt = (L-1)\int_0^z \frac{3t^2}{(L-1)^3}dt = \frac{z^3}{(L-1)^2} = s$$

The transformation function

$$z = \left[(L-1)^2 s \right]^{1/3} = \left[(L-1)^2 \frac{r^2}{L-1} \right]^{1/3} = \left[(L-1)r^2 \right]^{1/3}$$

10/15/22

Histogram Matching: Discrete Cases

Obtain p_r(r_j) from the input image and then obtain the values of s_k, round the value to the integer range [0, L-1].

$$s_k = T(r_k) = (L-1)\sum_{j=0}^k p_r(r_j) = \frac{(L-1)}{MN}\sum_{j=0}^k n_j$$

Use the specified PDF and obtain the transformation function G(z_q), round the value to the integer range [0, L-1].

$$G(z_q) = (L-1)\sum_{i=0}^{q} p_z(z_i) = s_k$$

Mapping from s_k to z_q

$$Z_q = G^{-1}(S_k)$$

Suppose that a 3-bit image (L=8) of size 64×64 pixels (MN = 4096) has the intensity distribution shown in the following table (on the left). Get the histogram transformation function and make the output image with the specified histogram, listed in the table on the right.

r_k	n_k	$p_r(r_k) = n_k/MN$		Z_q	Specified $p_z(z_q)$	
$r_0 = 0$	790	0.19	-		0.00	
$r_1 = 1$	1023	0.25		$z_0 = 0$	0.00	
$r_2 = 2$	850	0.21		$z_1 = 1$ $z_2 = 2$	0.00	
$r_3 = 3$	656	0.16		$z_2 = 2$ $z_2 = 3$	0.15	
$r_4 = 4$	329	0.08	\Box	$z_{4} = 4$	0.20	
$r_5 = 5$	245	0.06		$z_5 = 5$	0.30	
$r_6 = 6$	122	0.03		$z_6 = 6$	0.20	
$r_7 = 7$	81	0.02		$z_7 = 7$	0.15	

Obtain the scaled histogram-equalized values,

$$s_0 = 1, s_1 = 3, s_2 = 5, s_3 = 6, s_4 = 7,$$

 $s_5 = 7, s_6 = 7, s_7 = 7.$

Compute all the values of the transformation function G, $G(z_0) = 7 \sum_{j=0}^{0} p_z(z_j) = 0.00 \rightarrow 0$

	G(z)	$(z_1) = 0.00$	$\rightarrow 0$	$G(z_2) = 0.0$	$00 \rightarrow 0$			
	G(z)	$(z_3) = 1.05$	$\rightarrow 1$	$G(z_4) = 2.4$	$45 \rightarrow 2$	z_q	Specified $p_z(z_q)$	
r _k	$\frac{n_k}{2}G(2)$	$p_r(r_k) = n_k/MN$ $z_5) = 4.55$	$\rightarrow 5$	$G(z_6) = 5.$	$95 \rightarrow 6$	$z_0 = 0$	0.00	
$r_0 = 0$ $r_1 = 1$	$^{1023}_{050}G(2)$	$(z_{\pi}) = \frac{0.19}{2},00$	$\rightarrow 7$			$z_1 = 1$ $z_2 = 2$	0.00 0.00	
$r_2 = 2$ $r_3 = 3$	850 C C	0.16				$z_3 = 3$ $z_4 = 4$	0.15 0.20	
$r_4 = 4$ $r_5 = 5$	329 245	0.08 0.06				$z_5 = 5$	0.30	
$r_6 = 6$ $r_7 = 7$	122 81	0.03 0.02				$z_{6} = 0$ $z_{7} = 7$	0.15	

Obtain the scaled histogram-equalized values,

$$s_0 = 1, s_1 = 3, s_2 = 5, s_3 = 6, s_4 = 7,$$

 $s_5 = 7, s_6 = 7, s_7 = 7.$

Compute all the values of the transformation function G, $G(z_0) = 7 \sum_{j=0}^{0} p_z(z_j) = 0.00 \rightarrow 0$

$$\begin{array}{lll} G(z_1) = 0.00 & \to 0 & G(z_2) = 0.00 \to 0 \\ G(z_3) = 1.05 & \to 1 & \mathbf{s_0} & G(z_4) = 2.45 \to 2 & \mathbf{s_1} \\ G(z_5) = 4.55 & \to 5 & \mathbf{s_2} & G(z_6) = 5.95 \to 6 & \mathbf{s_3} \\ G(z_7) = 7.00 & \to 7 & \mathbf{s_4} & \mathbf{s_5} & \mathbf{s_6} & \mathbf{s_7} \end{array}$$

$$s_0 = 1, s_1 = 3, s_2 = 5, s_3 = 6, s_4 = 7,$$

 $s_5 = 7, s_6 = 7, s_7 = 7.$



6

7

 $r_k \rightarrow Z_q$ $0 \rightarrow 3$ $1 \rightarrow 4$ $2 \rightarrow 5$ $3 \rightarrow 6$ $4 \rightarrow 7$ $5 \rightarrow 7$ $6 \rightarrow 7$ $7 \rightarrow 7$



a b c d

FIGURE 3.22 (a) Histogram of a 3-bit image. (b) Specified histogram. (c) Transformation function obtained from the specified histogram. (d) Result of performing histogram specification. Compare (b) and (d).





a b c

FIGURE 3.24 (a) Transformation function for histogram equalization. (b) Histogramequalized image (note the washedout appearance). (c) Histogram of (b).





(a) An image, and (b) its histogram.



(a) Histogram equalization transformation obtained using the histogram in Fig. 3.24(b). (b) Histogram equalized image. (c) Histogram of equalized image.



Histogram specification. (a) Specified histogram. (b) Transformation^G(z_q), labeled (1), $G^{-1}(s_k)$, labeled (2). (c) Result of histogram specification. (d) firstogram of image (c).



Local Histogram Processing

Define a neighborhood and move its center from pixel to pixel

At each location, the histogram of the points in the neighborhood is computed. Either histogram equalization or histogram specification transformation function is obtained

Map the intensity of the pixel centered in the neighborhood

Move to the next location and repeat the procedure

Local Histogram Processing: Example



a b c

FIGURE 3.26 (a) Original image. (b) Result of global histogram equalization. (c) Result of local histogram equalization applied to (a), using a neighborhood of size 3×3 .

(a) Original image. (b) Result of local enhancement based on local histogram statistics. Compare (b) with Fig. 3.32(c).



Using Histogram Statistics for Image Enhancement

Average Intensity

$$m = \sum_{i=0}^{L-1} r_i p(r_i) = \frac{1}{MN} \sum_{x=0}^{M-1} \sum_{y=0}^{N-1} f(x, y)$$

$$u_n(r) = \sum_{i=0}^{L-1} (r_i - m)^n p(r_i)$$

Variance

$$\sigma^{2} = u_{2}(r) = \sum_{i=0}^{L-1} (r_{i} - m)^{2} p(r_{i}) = \frac{1}{MN} \sum_{x=0}^{M-1} \sum_{y=0}^{N-1} [f(x, y) - m]^{2}$$

Using Histogram Statistics for Image Enhancement

Local average intensity

$$m_{s_{xy}} = \sum_{i=0}^{L-1} r_i p_{s_{xy}}(r_i)$$

 s_{xy} denotes a neighborhood

Local variance

$$\sigma_{s_{xy}}^{2} = \sum_{i=0}^{L-1} (r_{i} - m_{s_{xy}})^{2} p_{s_{xy}}(r_{i})$$

Using Histogram Statistics for Image Enhancement: Example

$$g(x, y) = \begin{cases} E \ f(x, y), \text{ if } m_{s_{xy}} \le k_0 m_G \text{ and } k_1 \sigma_G \le \sigma_{s_{xy}} \le k_2 \sigma_G \\ f(x, y), & \text{otherwise} \end{cases}$$

 m_G : global mean; σ_G : global standard deviation $k_0 = 0.4; \quad k_1 = 0.02; \quad k_2 = 0.4; \quad E = 4$



a b c

FIGURE 3.27 (a) SEM image of a tungsten filament magnified approximately $130 \times$. (b) Result of global histogram equalization. (c) Image enhanced using local histogram statistics. (Original image courtesy of Mr. Michael Shaffer, Department of Geological Sciences, University of Oregon, Eugene.)

Spatial Filtering

A spatial filter consists of (a) **a neighborhood**, and (b) **a predefined operation**

Linear spatial filtering of an image of size MxN with a filter of size mxn is given by the expression

$$g(x, y) = \sum_{s=-a}^{a} \sum_{t=-b}^{b} w(s, t) f(x+s, y+t)$$



10/15/22

Spatial Correlation

The correlation of a filter w(x, y) of size $m \times n$ with an image f(x, y), denoted as $w(x, y) \approx f(x, y)$

$$w(x, y) \approx f(x, y) = \sum_{s=-a}^{a} \sum_{t=-b}^{b} w(s, t) f(x+s, y+t)$$

Spatial Convolution

The convolution of a filter w(x, y) of size $m \times n$ with an image f(x, y), denoted as $w(x, y) \star f(x, y)$

$$w(x, y) \star f(x, y) = \sum_{s=-a}^{a} \sum_{t=-b}^{b} w(s, t) f(x - s, y - t)$$

Illustration of 1-D correlation and convolution of a kernel, w, with a function f consisting of a discrete unit impulse. Note that correlation and convolution are functions of the variable x, which acts to **displace** one function with respect to the other. For the extended correlation and convolution results, the starting configuration places the rightmost element of the kernel to be coincident with the origin of f. Additional padding Correlation Convolution

must be used.

- Origin f w 0 0 0 1 0 0 0 0 1 2 4 2 8	- Origin f w rotated 180 0 0 0 1 0 0 0 0 8 2 4 2 1)° (i)
↓ 0 0 0 1 0 0 0 0 1 2 4 2 8 ↓ Starting position alignment	0 0 0 1 0 0 0 0 8 2 4 2 1	(j)
Zero padding 2 Cero padding 2 Cero padding 1 C C C C C C C C C C C C C C C C C C C	Zero padding $\begin{array}{c} & & \\ \hline 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ \hline 8 & 2 & 4 & 2 & 1 \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ \end{array}$	(k
0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 └─ Position after 1 shift	0 0 0 0 0 1 0 0 0 0 0 0 8 2 4 2 1 t Position after 1 shift	(1)
0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 Position after 3 shifts	0 0 0 0 0 1 0 0 0 0 0 0 8 2 4 2 1 Position after 3 shift	(m s
0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 Final position – ⁴	0 0 0 0 0 1 0 0 0 0 0 0 8 2 4 2 1 Final position –	(n
Correlation result	Convolution result	
$0 \ 8 \ 2 \ 4 \ 2 \ 1 \ 0 \ 0$	$0 \ 1 \ 2 \ 4 \ 2 \ 8 \ 0 \ 0$	(o)
Extended (full) correlation result	Extended (full) convolution result	
0 0 0 8 2 4 2 1 0 0 0 0	0 0 0 1 2 4 2 8 0 0 0 0	(p)
	Origin f w 0 0 0 1 0 0 0 0 1 2 4 2 8 0 0 0 1 0 0 0 0 0 1 2 4 2 8 0 0 0 0 1 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 2 4 2 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Origin f w origin f w rotated 180 0

Origin f(x, y)0 0 0 0 0 0 0 0 0 0 w(x, y)0 1 0 0 1 2 3 0 4 5 6 0 0 0 0 0 789 0 0 0 0 0 (a)

FIGURE 3.30

Correlation (middle row) and convolution (last row) of a 2-D filter with a 2-D discrete, unit impulse. The 0s are shown in gray to simplify visual analysis.

Transfer functions of ideal 1-D filters in the frequency domain (u denotes frequency). (a) Lowpass filter. (b) Highpass filter. (c) Bandreject filter. (d) Bandpass filter. (As before, we show only positive frequencies for simplicity.)



Table 3.7

Summary of the four principal spatial filter types expressed in terms of lowpass filters. The centers of the unit impulse and the filter kernels coincide.

Filter type	Spatial kernel in terms of lowpass kernel, <i>lp</i>
Lowpass	lp(x,y)
Highpass	$hp(x, y) = \delta(x, y) - lp(x, y)$
Bandreject	$br(x, y) = lp_1(x, y) + hp_2(x, y)$ = $lp_1(x, y) + [\delta(x, y) - lp_2(x, y)]$
Bandpass	$\begin{aligned} bp(x,y) &= \delta(x,y) - br(x,y) \\ &= \delta(x,y) - \left[lp_1(x,y) + \left[\delta(x,y) - lp_2(x,y) \right] \right] \end{aligned}$

Smoothing Spatial Filters

Smoothing filters are used for blurring and for noise reduction

Blurring is used in removal of small details and bridging of small gaps in lines or curves

Smoothing spatial filters include linear filters and nonlinear filters.

Spatial Smoothing Linear Filters

The general implementation for filtering an $M \times N$ image with a weighted averaging filter of size $m \times n$ is given

$$g(x, y) = \frac{\sum_{s=-a}^{a} \sum_{t=-b}^{b} w(s, t) f(x + s, y + t)}{\sum_{s=-a}^{a} \sum_{t=-b}^{b} w(s, t)}$$

where $m = 2a + 1$, $n = 2b + 1$.
Two Smoothing Averaging Filter Masks



a b

FIGURE 3.32 Two 3×3 smoothing (averaging) filter masks. The constant multiplier in front of each mask is equal to 1 divided by the sum of the values of its coefficients, as is required to compute an average.

FIGURE 3.33 (a) Original image, of size 500×500 pixels. (b)–(f) Results of smoothing with square averaging filter masks of sizes m = 3, 5, 9, 15, and 35, respectively. The black squares at the top are of sizes 3, 5, 9, 15, 25, 35, 45, and 55 pixels, respectively; their borders are 25 pixels apart. The letters at the bottom range in size from 10 to 24 points, in increments of 2 points; the large letter at the top is 60 points. The vertical bars are 5 pixels wide and 100 pixels high; their separation is 20 pixels. The diameter of the circles is 25 pixels, and their borders are 15 pixels apart; their intensity levels range from 0% to 100% black in increments of 20%. The background of the image is 10% black. The noisy rectangles are of size 50×120 pixels.



Example: Gross Representation of Objects



a b c

FIGURE 3.34 (a) Image of size 528×485 pixels from the Hubble Space Telescope. (b) Image filtered with a 15×15 averaging mask. (c) Result of thresholding (b). (Original image courtesy of NASA.)

Order-statistic (Nonlinear) Filters

- Nonlinear

— Based on ordering (ranking) the pixels contained in the filter mask

Replacing the value of the center pixel with the value determined by the ranking result

E.g., median filter, max filter, min filter

Example: Use of Median Filtering for Noise Reduction



a b c

FIGURE 3.35 (a) X-ray image of circuit board corrupted by salt-and-pepper noise. (b) Noise reduction with a 3×3 averaging mask. (c) Noise reduction with a 3×3 median filter. (Original image courtesy of Mr. Joseph E. Pascente, Lixi, Inc.)

Sharpening Spatial Filters

- Foundation
- Laplacian Operator
- Unsharp Masking and Highboost Filtering
- Using First-Order Derivatives for Nonlinear Image Sharpening — The Gradient

Sharpening Spatial Filters: Foundation

The first-order derivative of a one-dimensional function f(x) is the difference

$$\frac{\partial f}{\partial x} = f(x+1) - f(x)$$

The second-order derivative of f(x) as the difference

$$\frac{\partial^2 f}{\partial x^2} = f(x+1) + f(x-1) - 2f(x)$$



Illustration of the first and second derivatives of a 1-D digital function representing a section of a horizontal intensity profile from an image. In (a) and (c) data points are joined by dashed lines as a visualization aid.

Sharpening Spatial Filters: Laplace Operator

The second-order isotropic derivative operator is the Laplacian for a function (image) f(x,y)

$$\nabla^2 f = \frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2}$$

$$\frac{\partial^2 f}{\partial x^2} = f(x+1,y) + f(x-1,y) - 2f(x,y)$$

$$\frac{\partial^2 f}{\partial y^2} = f(x,y+1) + f(x,y-1) - 2f(x,y)$$

$$\nabla^2 f = f(x+1,y) + f(x-1,y) + f(x,y+1) + f(x,y-1)$$

$$-4f(x,y)$$

Sharpening Spatial Filters: Laplace Operator

-								
	0	1	0		1	1	1	
	1	-4	1		1 -8		1	
	0	1	1 0 -1 0		1	1 1		
	0	-1			-1	-1	-1	
	-1	4 -1			-1	8	-1	
	0	-1	0		-1	-1	-1	

a b c d

FIGURE 3.37 (a) Filter mask used to implement Eq. (3.6-6). (b) Mask used to implement an extension of this equation that includes the diagonal terms. (c) and (d) Two other implementations of the Laplacian found frequently in practice.

Sharpening Spatial Filters: Laplace Operator

Image sharpening in the way of using the Laplacian:

$$g(x, y) = f(x, y) + c \left[\nabla^2 f(x, y) \right]$$

where,

f(x, y) is input image, g(x, y) is sharpenend images, c = -1 if $\nabla^2 f(x, y)$ corresponding to Fig. 3.37(a) or (b) and c = 1 if either of the other two filters is used.



a bc de

FIGURE 3.38

(a) Blurred image of the North Pole of the moon. (b) Laplacian without scaling. (c) Laplacian with scaling. (d) Image sharpened using the mask in Fig. 3.37(a). (e) Result of using the mask in Fig. 3.37(b). (Original image courtesy of NASA.)

84

Unsharp Masking and Highboost Filtering

Unsharp masking

Sharpen images consists of subtracting an unsharp (smoothed) version of an image from the original image e.g., printing and publishing industry

Steps

- 1. Blur the original image
- 2. Subtract the blurred image from the original
- 3. Add the mask to the original

Unsharp Masking and Highboost Filtering

Let f(x, y) denote the blurred image, unsharp masking is $g_{mask}(x, y) = f(x, y) - \overline{f}(x, y)$ Then add a weighted portion of the mask back to the original $g(x, y) = f(x, y) + k^* g_{mask}(x, y)$ $k \ge 0$

when k > 1, the process is referred to as highboost filtering.

Unsharp Masking: Demo



a b c d **FIGURE 3.39** 1-D illustration of the mechanics of unsharp masking. (a) Original signal. (b) Blurred signal with original shown dashed for reference. (c) Unsharp mask. (d) Sharpened signal, obtained by adding (c) to (a).

Figure 3.55

(a) Unretouched "soft-tone" digital image of size^{469×600 pixels}
(b) Image blurred using ^{31×31} Gaussian lowpass filter with σ =
(c) Mask. (d) Result of unsharp masking using Eq. (3-65) with k = 1.
(e) and (f) Results of highboost filtering with k = 2 and k = 3, respectively.



a b c d e f

Unsharp Masking and Highboost Filtering: Example



а b c d FIGURE 3.40 (a) Original image. (b) Result of blurring with a Gaussian filter. (c) Unsharp mask. (d) Result of using unsharp masking. (e) Result of using highboost filtering.

For function f(x, y), the gradient of f at coordinates (x, y) is defined as

$$\nabla f \equiv \operatorname{grad}(f) \equiv \begin{bmatrix} g_x \\ g_y \end{bmatrix} = \begin{bmatrix} \frac{\partial f}{\partial x} \\ \frac{\partial f}{\partial y} \end{bmatrix}$$

The *magnitude* of vector ∇f , denoted as M(x, y)Gradient Image $M(x, y) = mag(\nabla f) = \sqrt{g_x^2 + g_y^2}$

The *magnitude* of vector ∇f , denoted as M(x, y)

$$M(x, y) = \max(\nabla f) = \sqrt{g_x^2 + g_y^2}$$

 $M(x, y) \approx |g_x| + |g_y|$

Z ₁	Z 2	Z 3		
Z 4	Z 5	Z ₆		
Z ₇	Z ₈	Z9		

$$M(x, y) = |z_8 - z_5| + |z_6 - z_5|$$

Roberts Cross-gradient Operators

$$M(x, y) \approx |z_9 - z_5| + |z_8 - z_6|$$

Sobel Operators

Z_1	Z 2	Z 3		
Z 4	Z 5	Z_6		
Z ₇	Z ₈	Z9		

$$M(x, y) \approx |(z_7 + 2z_8 + z_9) - (z_1 + 2z_2 + z_3)| + |(z_3 + 2z_6 + z_9) - (z_1 + 2z_4 + z_7)|$$

			Ζ1	z	2	z_3	3			
			Ζ4	z	5	Z	5			
			Z7	z	8	Zg	9			
	-1		0			0	_	-1		
	0		1			1		0		
-1	-1	2	-1	1	-	-1		0	1	
0	0		0		-2			0	2	
1	2		1		-	-1		0	1	

а b c d e FIGURE 3.41 A 3 \times 3 region of an image (the zs are intensity values). (b)–(c) Roberts cross gradient operators. (d)–(e) Sobel operators. All the mask coefficients sum to zero, as expected of a derivative operator.



Combining Spatial Enhancement Methods

Goal:

Enhance the image by sharpening it and by bringing out more of the skeletal detail



a b c d FIGURE 3.43 (a) Image of

(a) Image of
whole body bone
scan.
(b) Laplacian of
(a). (c) Sharpened
image obtained by
adding (a) and (b).
(d) Sobel gradient
of (a).

Example:

Combining Spatial Enhancement Methods

Goal:

Enhance the image by sharpening it and by bringing out more of the skeletal detail



e FIGURE 3.43 (*Continued*) (e) Sobel image smoothed with a 5×5 averaging filter. (f) Mask image formed by the product of (c) and (e). (g) Sharpened image obtained by the sum of (a) and (f). (h) Final result obtained by applying a powerlaw transformation to (g). Compare (g) and (h) with (a). (Original image courtesy of G.E. Medical Systems.)