

61A Lecture 8

Friday, February 6

Announcements

Abstraction

Functional Abstractions

```
def square(x):  
    return mul(x, x)
```

```
def sum_squares(x, y):  
    return square(x) + square(y)
```

What does `sum_squares` need to know about `square`?

- Square takes one argument. **Yes**
- Square has the intrinsic name `square`. **No**
- Square computes the square of a number. **Yes**
- Square computes the square by calling `mul`. **No**

```
def square(x):  
    return pow(x, 2)
```

```
def square(x):  
    return mul(x, x-1) + x
```

If the name “`square`” were bound to a built-in function, `sum_squares` would still work identically.

Choosing Names

Names typically don't matter for correctness

but

they matter a lot for composition

From:

true_false

d

helper

my_int

l, I, 0

To:

rolled_a_one

dice

take_turn

num_rolls

k, i, m

Names should convey the meaning or purpose of the values to which they are bound.

The type of value bound to the name is best documented in a function's docstring.

Function names typically convey their effect (print), their behavior (triple), or the value returned (abs).

Which Values Deserve a Name

Reasons to add a new name

Repeated compound expressions:

```
if sqrt(square(a) + square(b)) > 1:  
    x = x + sqrt(square(a) + square(b))
```



```
hypotenuse = sqrt(square(a) + square(b))  
if hypotenuse > 1:  
    x = x + hypotenuse
```

**PRACTICAL
GUIDELINES**

Meaningful parts of complex expressions:

```
x = (-b + sqrt(square(b) - 4 * a * c)) / (2 * a)
```



```
discriminant = sqrt(square(b) - 4 * a * c)  
x = (-b + discriminant) / (2 * a)
```

More Naming Tips

- Names can be long if they help document your code:

```
average_age = average(age, students)
```

is preferable to

```
# Compute average age of students  
aa = avg(a, st)
```

- Names can be short if they represent generic quantities: counts, arbitrary functions, arguments to mathematical operations, etc.

n, k, i – Usually integers

x, y, z – Usually real numbers

f, g, h – Usually functions

Testing

Test-Driven Development

Write the test of a function before you write the function.

A test will clarify the domain, range, & behavior of a function.

Tests can help identify tricky edge cases.

Develop incrementally and test each piece before moving on.

You can't depend upon code that hasn't been tested.

Run your old tests again after you make new changes.

Bonus idea: Run your code interactively.

Don't be afraid to experiment with a function after you write it.

Interactive sessions can become doctests. Just copy and paste.

(Demo)

Currying

Function Currying

```
def make_adder(n):  
    return lambda k: n + k
```

```
>>> make_adder(2)(3)  
5  
>>> add(2, 3)  
5
```

There's a general
relationship between
these functions


(Demo)

Curry: Transform a multi-argument function into a single-argument, higher-order function


Decorators

Function Decorators

(Demo)



is identical to



Review

What Would Python Print?

The print function returns None. It also displays its arguments (separated by spaces) when it is called.

```
from operator import add, mul
def square(x):
    return mul(x, x)
```

A function that takes any argument and returns a function that returns that arg

```
def delay(arg):
    print('delayed')
    def g():
        return arg
    return g
```

Names in nested def statements can refer to their enclosing scope

<u>This expression</u>	<u>Evaluates to</u>	<u>Interactive Output</u>
5	5	5
print(5)	None	5
print(<u>print(5)</u>)	None	5 None
<u>delay(delay)()(6)()</u>	6	delayed delayed 6
print(delay(print)()(4))	None	delayed 4 None

```
def horse(mask):  
    horse = mask  
    def mask(horse):  
        return horse  
    return horse(mask)
```

```
mask = lambda horse: horse(2)
```

```
horse(mask)
```

